



Congratulations on your purchase of a Champion Power Equipment generator. CPE designs and builds generators to strict specifications and with proper use and maintenance this generator should bring you years of satisfying service.


SAFETY PRECAUTIONS

 **WARNING** Read, study, and follow all instructions before operating this device. Failure to heed these instructions may result in personal injury and/or property damage.

Your generator can develop tremendous power forces and if used unsafely or improperly could result in property damage, serious injury, or death. Throughout this manual you will find the following symbols for caution, warning, and danger. Pay particular attention to the notes preceded by these symbols as they are written for your safety. Ultimately, safe operation of this device rests with you, the operator.

 **DANGER** Indicates a hazard which, if not avoided, will result in death or serious injury.



 **WARNING** Indicates a potentially hazardous situation which, if not avoided could result in death or serious injury.

 **CAUTION** Indicates a potentially hazardous situation which, if not avoided, may result in minor or moderate injury or equipment damage. This notation is also used to alert against unsafe practices.


SAFETY AND OPERATION INSTRUCTIONS


WARNING


Failure to follow these instructions and warnings may result in death, personal injury, or property damage.


 **DANGER**  Gasoline engines produce toxic carbon monoxide exhaust fumes. Breathing exhaust fumes will cause serious injury or death.


 **WARNING** No modifications, alterations, or deviation to the generator are authorized by the manufacturer and should not be made.


 **WARNING** Read, study, and understand the operator's manual prior to operation of this product. Read, study and understand the engine manual prior to operation. Follow all warnings and instructions.


 **WARNING** Know your equipment. Check the applications, limitations, and potential hazards with this unit and its placement or location.


 **WARNING** The engine exhaust from this product contains chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.


 **WARNING** Gasoline is flammable. Check for spilled fuel or fuel leaks. Stop engine and allow to cool at least 2 minutes before refueling.


 **WARNING** Equipment must be used on a hard, level surface, free from grease, fuel and other combustible materials.


 **WARNING** Engine must not be run at excessive speeds. Operating an engine at excessive speeds increases the hazard of personal injury. **Do not tamper with the parts which may increase or decrease the speed of the engine.**

 **WARNING** Do not operate this generator in the rain or unusually wet conditions.


 **WARNING** This generator is designed for outdoor use only; do not use this generator inside any building or enclosure including the generator compartment of a recreational vehicle (RV), garages, basements, crawl spaces and other locations where CO gas can collect and cause death or injury. Fire or an explosion may result.


 **WARNING** No user-performed modifications, including venting of exhaust and/or cooling ventilation are authorized by the manufacturer. Also, allow at least two feet of clearance on all sides of the generator even while operating the unit outdoors.

 **WARNING** If this unit is used for backup power in the event of a utility power failure, the following step must be taken: Before connecting the generator to an electrical system, open the main circuit breaker or main switch serving the system, to isolate the generator system from the electric utility. Failure to isolate the generator and utility systems may result in damage to the generator and may also result in injury or death to electric utility workers, due to a back feed of electrical energy.

 **WARNING** This product is equipped with a spark-arresting muffler. If the product will be used around flammable materials, or on land covered with materials such as agricultural crops, forest, brush, grass, or other similar items, then the approved spark arrester must be installed. **SPARK-ARRESTERS ARE REQUIRED IN THE STATE OF CALIFORNIA.** Spark arresters are also required on some U.S. Forest Service land and may also be legally required under other statutes and ordinances.

 **WARNING** Never step over a generator.

 **WARNING** Failure to heed these warnings may result in personal injury and/or property damage. No modifications, alterations, or deviations to the generator are authorized by the manufacturer and should not be made.

 **WARNING** Engine speed has been factory set to provide safe operation. Tampering with the engine speed adjustment could result in overheating of attachments and could cause a fire. Never attempt to "speed up" the engine to obtain more performance. Both the output voltage and frequency will be thrown out of standard by this practice, endangering attachments and the user.

WARNING



Never refuel a generator while it is in operation. Make sure the generator is not running. (This is a severe risk of fire.)

WARNING

Engine Exhaust, some of it's constituents, and certain vehicle components contain or emit chemicals known to the State of California to cause cancer and birth defects or other reproductive harm."

This product contains chemicals, including lead, known to the State of California to cause cancer, and birth defects or other reproductive harm. **Wash hands after handling .**"

CAUTION

This generator has been shipped from the factory without oil in the crankcase. Operating the unit without oil can ruin the engine.

CAUTION

You **MUST** unplug any load from the generator before starting. This will help to prevent permanent damage to any appliances.

CAUTION

Do not exceed rated capacity of current draw. Current load must be kept within rating on the generator label. Overloading will damage the unit and/or shorten its life.

CAUTION


For starting, grasp the starter grip and pull slowly until you feel resistance. Then pull firmly. Repeat if necessary with choke opened slightly. When engine starts, open the choke gradually until the engine is warm.

INCLUDED WITH YOUR GENERATOR

- | | |
|--|-------|
| 1. Generator | 1 set |
| 2. 6 ft Battery Cable | 1 set |
| 3. Wheel Kit
(1 Axle, 2 Wheels, 2 Vibration Mounts, 1 Handle Assembly, 1 Support Leg) | 1 set |
| 4. Bolt Kit
(2 Wheel Retaining Pins, 2 Flat Washers, 10 Cap Screws and Nuts) | 1 set |
| 5. Spark Arrestor, Cover Plate and 2 Screws w/ Lock Washers | 1 set |
| 6. Oil filler, Wrench, Spark plug socket. | 1 set |



2



3



4



5



6

NOT INCLUDED WITH YOUR GENERATOR




1

2

3

1. NEMA L14-30P
2. NEMA L5-30P
3. Standard 120V 3-Prong Plug

CONTROL PANEL COMPONENTS



1.AC Voltmeter

Use the voltmeter as a visual aid. It indicates the AC voltage. The normal voltage meter reading is 230 to 250 volts resulting in proper distribution of voltage to the receptacles. Excessive meter voltage could result in damage to appliances.

CAUTION Engine speed has been adjusted at the factory and establishes the proper electrical frequency output (60 Hz). Do not attempt to increase the speed of the engine for higher output. Serious damage could occur to the generator or engine.

2.120 Volt AC Outlet, Locking Receptacle

The outlet is protected by a 25 Amp push-to-reset circuit breaker. This receptacle powers 120 Volt AC, 60 Hz, Single Phase loads requiring up to 25 Amps or 3000 Watts of power.

3.120 / 240 Volt AC Outlet, Locking Receptacle

This outlet is protected by 25 Amp push-to-reset circuit breakers on each 120 Volt leg of the receptacle. This receptacle powers 240 Volt AC, 60 Hz, Single Phase loads requiring up to 23 Amps or 5500 Watts of power. If an L14-30P plug is wired for only one 120 Volt leg (3-wire connection) then this receptacle powers 120 Volt AC, 60 HZ, Single Phase loads requiring up to 25 Amps or 3000 Watts of power.

4.120 Volt AC, Duplex Receptacle

Each receptacle is protected against overload by a 20 Amp push-to-reset circuit breaker. Use each receptacle to operate 120 Volt AC, single-phase 60 Hz electrical loads requiring up to 20 Amps or 2,400 Watts of power.

5.Note:

Combined amperage of the receptacle is not to exceed circuit breaker limits.


6.12 VOLT, 10 Amp DC Outlet

This receptacle allows you to recharge a 12 Volt automotive or utility style storage battery with the battery charge cables provided. This receptacle cannot charge 6 Volt batteries and cannot be used to crank an engine. It is also not recommended for charging deep cycle batteries. Do not charge any batteries for extended periods without checking.


STARTING WATTAGE REQUIREMENTS

- Some appliances and tools are listed below with starting and running voltage and amperage requirements. Use the following formula to convert voltage and amperage to wattage:
 - FORMULA: VOLTS X AMPS = WATTS
 - EXAMPLE(Voltage and amperage for 1/3 HP furnace fan):
120 Volts X 10 Amps = 1200 Running Watts
- To determine the approximate starting wattage requirement for most appliances and tools with inductive type motors, multiply the wattage that was calculated by 3 times to assure adequate generator capacity. If the nameplate information is not available, use the values on the following page as a guide.
- Remember that the starting and running wattage for resistive loads are the same. (Example: a 100-watt light bulb requires only 100 Watts to start.) Most resistive loads will be listed in wattage.
- Use the chart on the next page as a reference guide.

CAUTION Let the engine stabilize and warm up for about five minutes after starting and before using.

CAUTION  DO NOT OVERLOAD THE GENERATOR. Add up the rated watts (or amps) of all loads to be connected at one time. This total should not be greater than the rated wattage/amperage capacity of the generator.

RUNNING WATTAGE GUIDE



Starting loads may need as much as 3 times the Running Wattage for Electrical Motors. Check your appliance rating before using generator.

GENERATOR ASSEMBLY AND MOUNTING

1. If your generator was delivered with two L-shaped metal shipping brackets mounted underneath the engine, these brackets must be removed. These brackets were installed temporarily on some generators for shipping only and prevent the rubber isolation mounts beneath the engine and generator from functioning properly.
2. Your Champion Generator is supplied with a wheel kit. If you want to install the wheel kit on your unit, please follow the following instructions.
 - a. Place the bottom of the generator cradle on a flat, even surface. Temporarily place unit on blocks to ease assembly.
 - b. Fix axle to four axle mounting holes on cradle frame by four bolts, as shown (Fig 1).
 - c. Slide a wheel and a flat washer over the axle (Fig 2), and then secure the wheel with a retaining pin.(Fig 3)
 - d. Install the other wheel in the same manner.
3. Secure each vibration mount to the support leg with a lock nut (M8), and a cap screw (M8 x 30) (Fig 4)
4. Secure the support leg to the cradle with cap screws (M8 x 20) and lock nuts (M8) (Fig 5)
5. Position the handle on the cradle cap screws (M8 x 50) and lock nuts (M8) (Fig 6.Fig 7)
6. Check that all fasteners are tight.
7. If the included spark arrester insert is to be used, installation should be performed as follows. Insert the spark arrester screen into the muffler outlet. Secure the spark arrester by placing the cover plate over the end of the screen, with lettering facing outward. Secure the cover plate with the two screws and lock washers providing with the spark arrester kit.




FIG. 1




FIG. 2



FIG. 3




FIG. 4



FIG. 5



FIG. 6



FIG. 7

MODEL # C41255

Generator Specifications

Running Watts	5500 Watts
Max Watts	6800 Peak Watts
AC Voltage	120/240 V
DC Voltage	12V
Frequency	60 Hz
Phase	Single
Power Factor	1.0
Engine	11.0 HP OHV Champion Engine (EPA & CARB Certified)
Fuel Tank Capacity	6.5 gallons (25L)
Running Hours	15 Hours at 50% Load
Noise Level	74 dB (from 7 meters)
Overall dimensions	31.69" (L) x 21.06" (W) x 22.24" (H) - 80.5cm (L) x 53.5cm (W) x 56.5cm (H)
Gross Weight (with package)	185 lbs. (84 kg)
Net Weight (without gas)	163 lbs. (74 kg)

BEFORE OPERATION

Grounding the generator provides extra safety.

The National Electric Code requires that this product be properly connected to an appropriate ground to help prevent electric shock.

⚠ WARNING Failure to properly ground the generator can result in electric shock.

A ground terminal connected to the frame of the generator has been provided on the front panel for this purpose. For remote grounding, connect a length of heavy gauge (12 AWG min.) copper wire between the generator Ground Terminal and a copper rod driven into the ground. This should provide a suitable ground connection. CPE recommends that you consult with a local electrician to insure that local codes are being adhered to.

OPERATION

Add oil:

- 1) Place generator on a level surface.
- 2) Follow the oil grade recommendations and oil fill instructions given in the maintenance section of this manual.

⚠ CAUTION Any attempt to crank or start the engine before it has been properly filled with the recommended oil may result in engine failure.

Add gasoline:

1. Use regular UNLEADED gasoline with the generator engine. Do not use premium gasoline. Do not mix oil with gasoline.
2. Clean area around fuel fill cap, remove cap.
3. Slowly add unleaded regular gasoline to fuel tank. Be careful not to overfill. Allow about ½" of tank space for fuel expansion.
4. Install fuel cap and wipe up any spilled gasoline.

⚠ WARNING Never fill fuel tank indoors.

⚠ WARNING Never fill fuel tank when Engine is running or hot.

⚠ WARNING Do not overfill the fuel tank.

⚠ WARNING Do not light cigarettes or smoke when filling the fuel tank.

Start the generator:

1. Disconnect all electrical loads from the generator when starting the engine
2. Turn the fuel valve to the "On" position (Fig 8).
3. Set the On/Off switch to the "On" position (Fig 9).
4. Place the choke lever in the "Full" choke position by pulling it out as indicated in the illustration (Fig 10).
5. Grasp the recoil handle and pull slowly until slight resistance is felt. Then pull rapidly one time to start engine (Fig 11).
6. Move the choke to the "Run" position (In). If engine falters, move choke lever to "Half" choke position until the engine runs smoothly. When engine is at operating temperature, move the choke to "Run" position (In).
7. Let the engine stabilize and warm up for a few minutes after starting. Plug in the desired 120 and/or 240 Volt AC, single phase, 60 Hz electrical loads.
8. For initial operation of a new generator, allow the engine to operate for 20 to 30 minutes before applying any electrical load



FIG. 8



FIG. 9



FIG. 10



FIG. 11

WARNING The choke should be used for both cold and warm engines.

WARNING Do not attempt to connect 240 Volt loads to the 120 Volt receptacles.

WARNING Do not connect 50 Hz loads to the generator.

Stopping the Engine:

1. Unplug all electrical loads from generator panel receptacles. Never start or stop engine with electrical devices plugged in and turned on.
2. Let engine run at no-load for 30 seconds to stabilize the internal temperatures of engine and generator.
3. Move On/Off switch to "OFF".
4. Close the fuel shut-off valve.

MAINTENANCE

WARNING Improper maintenance or operating a defective generator could result in death or serious injury

1. Generator maintenance includes keeping the unit clean and dry.
2. Operate and store the unit in a clean dry environment where it will not be exposed to excessive dust, dirt, moisture, or any corrosive vapors. Cooling air slots in the generator must not become clogged with snow, leaves or any other foreign material.
3. Check the cleanliness of the generator frequently and clean when dust, dirt, oil, moisture or other foreign substances are visible on its exterior surface.
4. Check the oil level and air cleaner cleanliness at each use.
5. Initial oil change at 1 month or 5 hours whichever comes first. Subsequent oil changes at 6 months or 100 hour increments, whichever comes first.
6. Clean the air cleaner element every 50 hours (every 10 hours under dusty conditions.) Wash in high flash-point solvent. Squeeze dry, then dip in clean engine oil and squeeze out excess oil.
7. Check and adjust the spark plug every 6 months or 100 hours, whichever comes first.
8. Replace the spark plug every year or 300 hours, whichever comes first.
9. Check and if necessary adjust the intake and exhaust valve clearances initially at the first 10 hours of operation and subsequently at every 6 months or 100 hours of operation.
10. If used, clean the spark arrester every 6 months or 100 hours, whichever comes first.

Spark Arrester Cleaning Procedure:

- a. If the generator has been running, allow it to cool before cleaning the spark arrester.
- b. Remove the (2) screws holding the cover plate which retains the end of the spark arrester.
- c. Remove the spark arrester screen.
- d. Carefully remove carbon deposits from the spark arrester screen using a wire brush.
- e. Replace the spark arrester if it is damaged.

CAUTION We **DO NOT** recommend using a garden hose to clean the generator. Water can enter the fuel system and cause problems. In addition, if water enters the generator through cooling air slots, some of the water will be retained in voids and cracks of the rotor and stator winding insulation. Water and dirt buildup on the generator internal windings will eventually decrease the insulation resistance of these windings.


SERVICE INFORMATION

A = Intermittent use (less than 1 hour) or colder temperatures, below 60°F
 B = Medium use (less than 3 hours) or seasonal temperatures 50°F - 80°F
 C = Extreme use (continuous use) or hot climates 80°F-100°F


Spark Plug, NGK or equivalent A → B6ES B → B7ES C → B8ES
 Spark Plug Gap 0.70 / 0.80mm (.028 / .031 in.)
 Valve Clearance, Cold Intake 0.13 / 0.17mm (.005 / .007 in.)
 Exhaust 0.18 / 0.22mm (.007 / .009 in.)

ADDING / CHECKING OIL LEVEL

- 1) Remove oil fill cap / dipstick to add oil
- 2) Add 1.16 qts. (1.1 L) oil and replace cap / dipstick
- 3) To check oil level - remove cap/dipstick and wipe it clean. Insert cap/dipstick into the filler, but do NOT screw it in. Oil should appear on dipstick.
- 4) If more oil is required add slowly
- 5) Oil should be filled at least to the bottom of the threads but not above the top of the threads when on a level surface.



CAUTION This engine is equipped with a "low oil shut-off" and the engine will stop when engine oil falls below the minimum safe level. Add oil immediately then restart engine.
CHECK ENGINE OIL LEVEL DAILY AND ADD AS NEEDED!



MAINTENANCE SCHEDULE:


REGULAR SERVICE PERIOD : Perform at every indicated month or operating hour interval, whichever comes first.

ITEM		EACH USE	FIRST MONTH OR 5 HOURS	FIRST 10 HOURS	EVERY 3 MONTHS OR 50 HOURS	EVERY 6 MONTHS OR 100 HRS
Engine Oil	Check level	●				
	Change		●			●
Air Cleaner	Check	●				
	Clean				●	
Sediment cup	Clean					●
Spark plug	Clean-Readjust					●
Valve clearance*	Check-Readjust			●		●
Spark Arrester	Clean					●
Fuel tank and filter*	Clean					●
Fuel Line	Replace if necessary	Every 3 years				

* Recommended for experienced owner or service center.

- Tampering with the factory set governor could void your warranty.
- Improper maintenance will void your warranty.

PARTS DIAGRAM



PARTS LIST

No.	Part#	Description	Qty
1	ST02FD-1151205	Switch	1
2	ST188FD-1710100-C	Control Panel	1
3	ST4.0FD-1151202	A.C 20A Breaker	2
		A.C 25A Breaker	2
		D.C 10A Breaker	1
4	ST05FD-1151204	Volt Meter	1
5	ST188FD-1710001-C	AC Receptacle	1
6	ST188FD-1710002-C	AC Receptacle	1
7	ST188FD-1710003-C	AC Receptacle	1
8	ST188FD-1710004-C	DC Receptacle	1
9	ST188FD-1710010-C	Earth Terminal	1
10	ST05FD-1151207	Case	1
11	GB5789-86	Bolt M5×10	2
12	ST05FD-1152002	Generator End Cover	1
13	GB5789-86	Bolt M6×10	7
14	ST168F-1152032	Terminal	1
15	ST168F-1152004A	Diode Assy	1
16	ST168F-1152031A	AVR	1
17	ST05FD-1152035	Brush Assy	1
18	ST05FD-1152032	End Cover	1
19	GB5789-86	Flange Bolt M6×164	4
20	ST4.0FD-1152001	Stator Cover	1
21	GB5787-88	Flange bolt M10×1.25×250	1
22	ST4.0FD-1152020	Stator Assy	1
23	ST4.0FD-1152010	Rotor Comp	1
24	ST05FD-1151600	Cover	1
25	ST188FD-1030011-B	Crankcase Cover	1
26	ST1P60F-1030004	O-Ring	1
27	ST188F-1030003	Oil Filler Cap	1
28	ST182FD-100000	Engine	1
29	ST182FD-1151110-B	Handle	1
30	ST182FD-1151100-B	Frame	1
31	ST05FD-1151300A	Bottom Rubber 1	2
32	ST05FD-1151300B	Bottom Rubber 2	2
33	GB6177-86	Nut M10	4
34	GB/T91-2000	Retain Pin 3.2×40	2
35	GB97.1-85	Washer Φ16	2
36	ST177FD-1152300	8" Wheel (Solid)	2
37	GB6177-86	Nut M8	4
38	GB5789-86	Bolt M8×50	2
39	ST160F-1070001-1	Clip	6
40	ST188FD-1160002-CPE	Fuel Tube	1
41	ST168FD-1160400	Fuel Cock	1
42	ST188FD-1160001	Fuel Tank	1
43	ST168F-1160500	Fuel Filter	1
44	ST168FD-1160200	Fuel Tank Cap	1

PARTS LIST

No.	Part#	Description	Qty
45	GB819-85	Screw M5×6	2
46	ST168FD-1160100	Fuel Meter Assy	1
47	GB5789-86	Bolt M6×25	4
48	GB5287-86	Washer Φ6	4
49	ST168FD-1163000	Tank Rubber	4
50	ST188FD-1131001	Rubber Tube	1
51	ST188FD-1131015	Clip	1
52	ST188FD-1131100	Valve	1
53	ST188FD-1131002	Rubber Tube	1
54	GB818-85	Screw M5×10	2
55	ST188FD-1031200	Diaphragm Assy.	1
56	ST182FD-1130002	Packing	2
57	ST188FD-1131000	Stay Assy.	1
58	ST188F-1020001	Grommet	1
59	ST182FD-1133000-CPE	Carburetor	1
60	ST182FD-1134000	Carburetor Insulator	1
61	ST188FD-1130003	Carburetor Insulator Packing	1
62	ST188FD-1010002	Bolt	2
63	ST188FD-1090006	Air Cleaner Stay	1
64	ST188FD-1090100	Air Cleaner Case Comp	1
65	ST188FD-1090002	Air Cleaner Seal	1
66	GB6177-86	Nut M5	6
67	ST188FD-1090003	Separator	1
68	ST188FD-1090004	Element	1
69	ST188FD-1090200	Air Cleaner Cover Comp	1
70	GB6177-86	Nut M6	4
71	ST188FD-1080200	Control Assy	1
72	ST188FD-1010001	Bolt	2
73	ST188FD-1100001	Muffler Gasket	2
74	ST4.0FD-1100100	Ex Pipe	1
75	GB5781-86	Bolt M8×25	2
76	ST188FD-1100002	Muffler	1
77	ST188FD-1100105	Muffler Outer Protector	1
78	GB5789-86	Bolt M6×12	10
79	ST188FD-1100104	Muffler Life Protector	1
80	ST188FD-1100103	Muffler Inner Protector	1
81	GB5789-86	Bolt M8×20	5
82	ST188FD-1100006	Muffler Stay	1
83	GB5789-86	Bolt M8×30	2
84	ST188FD-1740004-C	Vibration Mount	2
85	ST177FD-1743001-C	Support Leg	1
86	ST177FD-1152200	Axle (26.4 in)	1
87	SA69-1	Spark Arrester Comp	1
	SA69-2		1
	SA69-3		2

TROUBLE SHOOTING GUIDE

PROBLEM	CAUSE	CORRECTION
Engine will not start	Low on fuel or oil	Add fuel or oil
	Ignition switches in off position	Turn to "ON" position
	Faulty spark plug	Replace spark plug
	Choke in wrong position	Adjust choke accordingly
	Fuel shut-off valve in closed position	Open fuel shut-off valve
	Unit loaded during start-up	Remove load from unit
	Spark plug wire loose	Attach wire to spark plug
No electrical output	Faulty receptacle	Have Service Center replace
	Circuit breaker kicked out	Depress and reset
	Defective capacitor	Have Service Center replace capacitor
	Faulty brush assembly	Replace brush assembly
	Faulty power cord	Replace cord
	Faulty AVR	Have Service Center replace AVR
	Loose wiring	Inspect and tighten wiring connections
Repeated circuit breaker tripping	Overload	Reduce load. Depress and reset
	Faulty cords or equipment	Check for damage, bare, or frayed wires. Replace
Generator overheating	Generator overloaded	Reduce load
	Insufficient ventilation	Move to adequate supply of fresh air, check for air restriction

CHAMPION POWER EQUIPMENT 1 YEAR LIMITED WARRANTY

Warranty Qualifications:

Champion Power Equipment (CPE) will activate this warranty on receipt of your Warranty Registration Card and proof of purchase such as a copy of your sales receipt from one of CPE's retail customers. Warranty registration and your receipt must be submitted within ten (10) days from the date of purchase.

Champion Power Equipment Repair/Replacement Warranty:

CPE warrants to the original purchaser that the mechanical and electrical components will be free of defects in material and workmanship for a period of one (1) year from the original date of purchase (90 days for commercial & industrial use). This warranty only applies to the original purchaser and is not transferable.

Do not return the unit to the place of purchase.

Contact CPE's Technical Department and CPE will troubleshoot any problem with you over the phone or via e-mail. If the problem is not corrected by this method, CPE will, at its option, authorize evaluation, repair or replacement of the defective part or component at a CPE Service Center. CPE will provide you with a case number for warranty service. Please keep it for future reference. Repairs or replacements without prior authorization, or at an unauthorized repair facility, will not be covered by this warranty.

Warranty Exclusions:

This warranty will not apply to parts and/or labor if this generator is deemed to have been misused, neglected, involved in an accident, abused, overloaded the generator limits, unauthorized modifications, improper installation or improper connection to any electrical components. Painted surfaces are also excluded from this warranty. *Warranty is Limited to 90-days from purchase for Commercial users, including Rentals.

Limits of Implied Warranty and Consequential Damage:

Champion Power Equipment disclaims any obligation to cover any loss of time, use of this product, freight, or any incidental or consequential claim by anyone from using this generator. This written warranty is the only warranty and any implied warranty will be limited by these terms. This warranty gives you certain legal rights which may change from state to state. Your state may also have other rights you may be entitled to that are not listed within this warranty.

An exchanged unit will continue the warranty from the purchase date of the original unit.

**Champion Power Equipment, Inc (CPE),
The California Air Resources Board (CARB) and the United States Environment Protection Agency (U.S. EPA.)
Emission Control System Warranty**

Your Champion Power Equipment (CPE) engine complies with both the U.S. EPA and state of California Air Resources Board (CARB) emission regulations.

YOUR WARRANTY RIGHTS AND OBLIGATIONS:

The California Air Resources Board, US EPA AND CPE are pleased to explain the Federal and California Emission Control Systems Warranty on your 2005 and later, small off-road engine. In California, new, small off-road engines must be designed, built and equipped to meet the State's stringent anti smog standards. In the other states, new engines must be designed, built and equipped, at the time of sale, to meet U.S. EPA regulations for small non-road engines. CPE must warrant the emission control system on your small off-road engine for the period of time listed below, provided there has been no abuse, neglect, unapproved modification, or improper maintenance of your small off-road engine.

Your emission control system may include parts such as the carburetor, fuel-injection system, the ignition system, catalytic converter and fuel lines. Also included may be hoses, belts, connectors and other emission related assemblies. Where a warrantable condition exists, CPE will repair your small off-road engine at no cost to you including diagnosis, parts and labor.

MANUFACTURER'S EMISSION CONTROL SYSTEM WARRANTY COVERAGE:

This emission control system is warranted for two years, subject to provisions set forth below. If, during the warranty period, emission related part on your engine is defective in materials or workmanship, the part will be repaired or replaced by CPE.

OWNER WARRANTY RESPONSIBILITIES:

As the small off-road engine owner, you are responsible for the performance of the required maintenance listed in your Owner's Manual. CPE recommends that you retain all your receipts covering maintenance on your small off-road engine, but CPE cannot deny warranty solely for the lack of receipts or for your failure to ensure the performance of all scheduled maintenance.

As the small off-road engine owner, you should however be aware that CPE may deny you warranty coverage if your small, off-road engine or a part has failed due to abuse, neglect, improper maintenance or unapproved modifications.

You are responsible for presenting your small off-road engine to an Authorized CPE service outlet, CPE dealer or CPE, Santa Fe Springs, Ca. as soon as a problem exists. The warranty repairs should be completed in a reasonable amount of time, not to exceed 30 days.

If you have any questions regarding your warranty rights and responsibilities, you should contact:

**Champion Power Equipment, Inc.
Customer Service
10006 Santa Fe Springs Road
Santa Fe Springs, CA 90670
Tel: (562) 236-9422**

The emission warranty is a defects warranty. Defects are judged on normal engine performance. The warranty is not related to an in-use emission test.

EMISSION CONTROL SYSTEM WARRANTY

The following are specific provisions relative to your Emission Control System Warranty Coverage.

Emission Control System Warranty (ECS Warranty) for 1995 and later model year California small off-road engines (for other states, 1997 and later model year engines):

1. APPLICABILITY: This warranty shall apply to 1995 and later model year California small off-road engines (for other states, 1997 and later model year engines). The ECS Warranty Period shall begin on the date the new engine or equipment is delivered to its original, end-use purchaser, and shall continue for 24 consecutive months thereafter.

2. GENERAL EMISSIONS WARRANTY COVERAGE

CPE warrants to the original, end-use purchaser of the new engine or equipment and to each subsequent purchaser that each of its small off-road engines is:

- a. Designed, built and equipped so as to conform with all applicable regulations adopted by the Air Resources Board pursuant to its authority in Chapters 1 and 2, Part 5, Division 26 of the Health and Safety Code, and
- b. Free from defects in materials and workmanship that cause the failure of a warranted part to be identical in all material respects to the part as described in the engine manufacturer's application for certification for a period of two years.

3. The warranty on emission-related parts will be interpreted as follows:

- a. Any warranted part that is not scheduled for replacement as required maintenance in the Owners Manual shall be warranted for the ECS Warranty Period. If any such part fails during the ECS Warranty Period, it shall be repaired or replaced by CPE according to Subsection "d" below. Any such part repaired or replaced under the ECS Warranty shall be warranted for any remainder of the ECS Warranty Period.
- b. Any warranted, emissions-related part which is scheduled only for regular inspection as specified in the Owners Manual shall be warranted for the ECS Warranty Period. A statement in such written instructions to the effect of "repair or replace as necessary", shall not reduce the ECS Warranty Period. Any such part repaired or replaced under the ECS Warranty shall be warranted for the remainder of the ECS Warranty Period.
- c. Any warranted, emissions-related part which is scheduled for replacement as required maintenance in the Owner's Manual shall be warranted for the period of time prior to the first scheduled replacement point for that part. If the part fails prior to the first scheduled replacement, the part shall be repaired or replaced by CPE according to Subsection "d" below. Any such emissions-related part repaired or replaced under the ECS Warranty, shall be warranted for the remainder of the ECS Warranty Period prior to the first scheduled replacement point for such emissions-related part.

- d. Repair or replacement of any warranted, emissions-related part under this ECS Warranty shall be performed at no charge to the owner at a CPE Authorized Service Outlet.
- e. The owner shall not be charged for diagnostic labor which leads to the determination that a part covered by the ECS Warranty is in fact defective, provided that such diagnostic work is performed at a CPE Authorized Service Outlet.
- f. CPE shall be liable for damages to other original engine components or approved modifications proximately caused by a failure under warranty of an emission-related part covered by the ECS Warranty.
- g. Throughout the ECS Warranty Period, CPE shall maintain a supply of warranted emission-related parts sufficient to meet the expected demand for such emission-related parts.
- h. Any CPE Authorized and approved emission-related replacement part may be used in the performance of any ECS Warranty maintenance or repair and will be provided without charge to the owner. Such use shall not reduce CPE's warranty obligation.
- i. Unapproved add-on or modified parts may not be used to modify or repair a CPE engine. Such use voids this ECS Warranty and shall be sufficient grounds for disallowing an ECS Warranty claim. CPE shall not be liable hereunder for failures of any warranted parts of a CPE engine caused by the use of such an unapproved add-on or modified part.

EMISSION-RELATED PARTS INCLUDE THE FOLLOWING: (using those portions of the list applicable to the engine)

Systems covered by this warranty	Parts Description
Fuel Metering System	Fuel regulator, Carburetor and internal parts
Air Induction System	Air cleaner, Intake manifold
Ignition System	Spark plug and parts, Magneto ignition system
Exhaust System	Exhaust manifold, catalytic converter
Miscellaneous Parts	Tubing, Fittings, Seals, Gaskets, and Clamps associated with these listed systems
Evaporative Emissions	Fuel Tank, Fuel Cap, Fuel Line, Fuel Line Fittings, Clamps, Pressure Relief Valves, Control Valves, Control Solenoids, Electronic Controls, Vacuum Control Diaphragms, Control Cables, Control Linkages, Purge Valves, Vapor Hoses, Liquid/Vapor Separator, Carbon Canister, Canister Mounting Brackets, Carburetor Purge Port Connector

TO OBTAIN WARRANTY SERVICE:

You must take your CPE engine or the product on which it is installed, along with your warranty registration card or other proof of original purchase date, at your expense, to any Champion Power Equipment dealer who is authorized by Champion Power Equipment, Inc. to sell and service that CPE product during his normal business hours. Claims for repair or adjustment found to be caused solely by defects in material or workmanship will not be denied because the engine was not properly maintained and used.

If you have any questions regarding your warranty rights and responsibilities, or to obtain warranty service, please write or call the Customer service of Champion Power Equipment, Inc.

Champion Power Equipment, Inc.
10006 Santa Fe Springs Road
Santa Fe Springs, CA 90670
(562) 236-9422
Attn: Customer Service

Customer Service: Mon. - Fri. 8:30 am - 5:00 pm (Pacific Standard Time)
Toll Free : 1 - 877 - 338 - 0999
Fax no. : 1 - 562-236-9429 (weekdays only)

Technical Service: Mon. - Fri. 8:30 am - 5:00 pm (Pacific Standard Time)
Toll Free : 1 - 877 - 338 - 0999
24hr. Voicemail: 1 - 626 - 230 - 5248 or E-mail: championtechonline@gmail.com